

(Deemed to be University under section 3 of the UGC Act 1956)

Nursing

Instructions:

- 1. Answer all the questions.
- 2. Read each question carefully and write the correct answer for each question chosen by you with black/blue pen in the answer sheet provided.
- 3. No negative marks for wrong answers.
- 4. Return the question paper along with the answer sheet.

Time: 90 Minutes	
Venue:	

Part B

[35X1=35]

- 1. The uniform method of assessing students overall learning would be
 - a. Objective structured clinical evaluation
 - b. Case method
 - c. Group project
 - d. Viva voice
- 2. A nurse educator is interested to teach physical examination to nursing students. The best suitable method would be
 - a. Lecture
 - b. Demonstration
 - c. Project
 - d. Bed side clinic
- 3. The TB Surveillance using case based web based IT system is
 - a. NITI Aayog
 - b. RBSK
 - c. MOLSHY
 - d. NSSK



a. Yellowb. Redc. Blued. Black

a. MMRb. DPTc. DT

d. Hepatitis B


VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM

(Deemed to be University under section 3 of the UGC Act 1956)

4. Human anatomical waste should be discarded in category

5. Which of the following vaccine is contraindicated in pregnancy?

6.	Guthric test is useful for screening		
	a.	Pomp's disease	
	b.	Phenylketonuria	
	c.	Thalassemia	
	d.	Hemophilia	
7.			
	a.	Covishield	
	b.	Covaxin	
	c.	Pfizer-BioNTech'sCovid Vaccine	
	d.	ZyCoV-D	
8. Zika virus is transmitted through the bite of an infected			
	a.	Aedesaegypti mosquito	
	b.	Culex mosquito	
	c.	Anopheles mosquito	
	d.	Aquatic snails	
9. NACO has		s branded STI/RTI services as	
	a.	Suraksha Clinic	
	b.	Surabi Clinic	
	c.	Sushma Clinic	
	d.	Shruthi Clinic	
10. The safe period method is also called as			
	a.	Basal Body temperature method	
	b.	Programmed sex	
	c.	Cervical mucus method	
	d.	Abstinence	




- 11. A 6-month old child woke up in the night crying with abdominal pain which got relived on passing red stools. What is the diagnosis?
 - a. Meckel's diverticulum
 - b. Intussusception
 - c. Malrotation
 - d. Intestinal obstruction
- 12. Normal Heart rate at birth is
 - a. < 100 beats/mt
 - b. 100-120 beats/mt
 - c. 120-160 beats/mt
 - d. 160-180 beats/mt
- 13. The most common cause of dementia is
 - a. Azheimer's disease
 - b. Multiple sclerosis
 - c. Multi infarct lesion
 - d. General paresis of insane
- 14. First antipsychotic drug introduced was
 - a. Chlorpromazine
 - b. Haloperidol
 - c. Trifluoperazine
 - d. Lithium
- 15. Delirium is the disorder of
 - a. Consciousness
 - b. Perception
 - c. Memory
 - d. Thought
- 16. Korsakoff's psychosis is due to the deficiency of
 - a. Thiamine
 - b. Riboflavin
 - c. Vitamin B12
 - d. Biotin
- 17. The first step of the research process is to
 - a. Prepare the research design
 - b. Complete data collection and analysis
 - c. Formulate the research question
 - d. Prepare the report



- 18. The scientific method focus on testing hypotheses developed from hypothesis?
 - a. Deductive Method
 - b. Inductive Method
 - c. Hypothesis Method
 - d. Pattern Method
- 19. Dependent variable refers to
 - a. The experimental condition
 - b. The variable which shows us the effect of the manipulation
 - c. The variable being manipulated or varied in some way by the research
 - d. A variable with a single value which remains constant in a particular context
- 20. A Type II error is also known as
 - a. False positive
 - b. False negative
 - c. Double negative
 - d. Positive negative
- 21. Biased research refers to
 - a. Drawing conclusions by introducing one's own vested interest.
 - b. No deliberate attempt to either conceal or highlight something.
 - c. Repeatability and accuracy are provided for the quality of measurement procedures used.
 - d. Each step of the research is valid and objective
- 22. Descriptive research is the type of research that
 - a. Is made for performing the basic or pure research; it's a theoretical research.
 - b. Is intended for finding some solution to the problem considered
 - c. Includes fact-finding enquires and surveys
 - d. Uses available information as the base to make the further critical evaluation
- 23. Conducting surveys is the most common method of generating
 - a. Primary data
 - b. Secondary data
 - c. Qualitative data
 - d. Quantitative data
- 24. Research can be classified from three perspectives
 - a. Application, objectives and inquiry mode used
 - b. Philosophies, validity and unbiased
 - c. Controlled, systematic and empirical
 - d. Rigorous, valid and critical

- 25. Conclusive evidence of intra-uterine death in radiography is
 - a. Spalding sign
 - b. Hyper flexion of the spine
 - c. Appearance of gas shadow in Heart
 - d. Overlapping of Skull Bones
- 26. A mother experiences an episode of painless vaginal bleeding during last trimester. The Nurse realize that it is due to
 - a. Abruptio placenta
 - b. Frequent intercourse
 - c. Placenta Praevia
 - d. Excessive alcohol ingestion
- 27. Muller-Munro Kerr method is clinically used to diagnose
 - a. Contracted Pelvis
 - b. Cephalopelvic Disproportion
 - c. Pelvic adequacy
 - d. Feto maternal disproportion
- 28. The drug used to enhance lung maturity of fetus in utero is
 - a. Progesterone
 - b. Surfactant Therapy
 - c. Duvadilan
 - d. Dexamethasone
- 29. The women ask the nurse about the purpose of placenta. The nurse responds as it
 - a. Maintains the body temperature of the fetus
 - b. Allows for fetal movement
 - c. Provide an exchange of nutrients and waste products.
 - d. Acts as a shock absorber
- 30. Fetal movement is felt at
 - a. 10-12 weeks of Gestation
 - b. 08-10 weeks of Gestation
 - c. 16-20 weeks of Gestation
 - d. 12-14 weeks of Gestation
- 31. The nurse observes the umbilical cord lengthening & Spurt of blood from vagina. The nurse recognizes these as signs of
 - a. Placenta Previa
 - b. Abruptio Placenta
 - c. Placental separation
 - d. Placenta accrete



- 32. A nurse is reviewing the record of a pregnant woman seen in the health care clinic for the first prenatal visit. Which of the following data, if noted on the client's record, would alert the nurse that the client is at risk for a spontaneous abortion?
 - a. Age of 35 years
 - b. History of syphilis
 - c. History of genital herpes
 - d. History of diabetes mellitus
- 33. The nurse understand that ECT is first line treatment for
 - a. Anxiety disorders
 - b. Depression
 - c. Mania
 - d. Schizophrenia
- 34. A client has been diagnosed with insomnia. Which of the following data would the nurse expected to assess?
 - a. Daytime irritability, problems with attention and concentration
 - b. Nightmares
 - c. Sleepwalking
 - d. Sleep talking
- 35. The recommended nurse: Patient ratio for ICU is
 - a. 1:2
 - b. 2:1
 - c. 1:1
 - d. 1:3

